

Floodlight Summary:

Report based on lamp delivering 1000 lumens.


Maximum Intensity (Luminaire orientation as tested.)		385.5 cd per klm. 0.0 degrees vertical 0.0 degrees horizontal
Beam Spread	At 10% of Imax At 50% of Imax At 90% of Imax	127.1V x 153.8H 108.9V x 114.4H 48.5V x 55.6H
Beam Flux	Total To 10% of Imax To 50% of Imax To 90% of Imax	991.0 lumens per klm. 984.9 lumens per klm. 804.3 lumens per klm. 231.8 lumens per klm.
	Upward LOR Downward LOR	0.0 % 99.1 %
Luminaire Efficiency(Light Output Ratio)		100.0 %

H( $\beta$ ) Range:-90 - 90DEG  
H( $\beta$ ) Interval: 1.0DEG  
Test Speed: HIGH  
Temperature:25.3DEG  
Operators:C  
Test Date:23 October 2018

V(B) Range:-60 - 60DEG  
V(B) Interval: 5.0DEG  
Test System:EVERFINE GO-2000B\_V1 SYSTEM V2.0.404.7  
Humidity:65.0%  
Test Distance:7.890m [K=1.0000]  
Remarks:

**LUMINAIRE PHOTOMETRIC TEST REPORT**

Test:U:224.78V I:4.5126A P:1000W PF:0.9881 Freq:50.03Hz Lamp Flux:132982x1 lm		
NAME: ASD-LMAL-1000D50-MRN	TYPE:	
MFR.: ASD LIGHTING CORP		




DATA OF LAMP		Eff:136.76lm/W	
MODE:ASD-LMAL-1000D50-MRN		Imax (cd)	52841
NOMINAL POWER (W)	1000	AVAILABILITY (%)	99.6
RATED VOLTAGE (V)	220	Avai. FLUX (lm)	132982
NOMINAL FLUX (lm)	132982	LOR (%)	100.0
LAMPS INSIDE	1	TOTAL FLUX (lm)	137063
TEST VOLTAGE (V)	220	θ @50% (H, V)	114,109DEG

VERTICAL (DEG)	AREA FLUX DIAGRAM																UNIT: lm		Φ t	Φ a																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350	360	370	380	390	400	410	420	430	440	450	460	470	480	490	500	510	520	530	540	550	560	570	580	590	600	610	620	630	640	650	660	670	680	690	700	710	720	730	740	750	760	770	780	790	800	810	820	830	840	850	860	870	880	890	900	910	920	930	940	950	960	970	980	990	1000	1010	1020	1030	1040	1050	1060	1070	1080	1090	1100	1110	1120	1130	1140	1150	1160	1170	1180	1190	1200	1210	1220	1230	1240	1250	1260	1270	1280	1290	1300	1310	1320	1330	1340	1350	1360	1370	1380	1390	1400	1410	1420	1430	1440	1450	1460	1470	1480	1490	1500	1510	1520	1530	1540	1550	1560	1570	1580	1590	1600	1610	1620	1630	1640	1650	1660	1670	1680	1690	1700	1710	1720	1730	1740	1750	1760	1770	1780	1790	1800	1810	1820	1830	1840	1850	1860	1870	1880	1890	1900	1910	1920	1930	1940	1950	1960	1970	1980	1990	2000	2010	2020	2030	2040	2050	2060	2070	2080	2090	2100	2110	2120	2130	2140	2150	2160	2170	2180	2190	2200	2210	2220	2230	2240	2250	2260	2270	2280	2290	2300	2310	2320	2330	2340	2350	2360	2370	2380	2390	2400	2410	2420	2430	2440	2450	2460	2470	2480	2490	2500	2510	2520	2530	2540	2550	2560	2570	2580	2590	2600	2610	2620	2630	2640	2650	2660	2670	2680	2690	2700	2710	2720	2730	2740	2750	2760	2770	2780	2790	2800	2810	2820	2830	2840	2850	2860	2870	2880	2890	2900	2910	2920	2930	2940	2950	2960	2970	2980	2990	3000	3010	3020	3030	3040	3050	3060	3070	3080	3090	3100	3110	3120	3130	3140	3150	3160	3170	3180	3190	3200	3210	3220	3230	3240	3250	3260	3270	3280	3290	3300	3310	3320	3330	3340	3350	3360	3370	3380	3390	3400	3410	3420	3430	3440	3450	3460	3470	3480	3490	3500	3510	3520	3530	3540	3550	3560	3570	3580	3590	3600	3610	3620	3630	3640	3650	3660	3670	3680	3690	3700	3710	3720	3730	3740	3750	3760	3770	3780	3790	3800	3810	3820	3830	3840	3850	3860	3870	3880	3890	3900	3910	3920	3930	3940	3950	3960	3970	3980	3990	4000	4010	4020	4030	4040	4050	4060	4070	4080	4090	4100	4110	4120	4130	4140	4150	4160	4170	4180	4190	4200	4210	4220	4230	4240	4250	4260	4270	4280	4290	4300	4310	4320	4330	4340	4350	4360	4370	4380	4390	4400	4410	4420	4430	4440	4450	4460	4470	4480	4490	4500	4510	4520	4530	4540	4550	4560	4570	4580	4590	4600	4610	4620	4630	4640	4650	4660	4670	4680	4690	4700	4710	4720	4730	4740	4750	4760	4770	4780	4790	4800	4810	4820	4830	4840	4850	4860	4870	4880	4890	4900	4910	4920	4930	4940	4950	4960	4970	4980	4990	5000	5010	5020	5030	5040	5050	5060	5070	5080	5090	5100	5110	5120	5130	5140	5150	5160	5170	5180	5190	5200	5210	5220	5230	5240	5250	5260	5270	5280	5290	5300	5310	5320	5330	5340	5350	5360	5370	5380	5390	5400	5410	5420	5430	5440	5450	5460	5470	5480	5490	5500	5510	5520	5530	5540	5550	5560	5570	5580	5590	5600	5610	5620	5630	5640	5650	5660	5670	5680	5690	5700	5710	5720	5730	5740	5750	5760	5770	5780	5790	5800	5810	5820	5830	5840	5850	5860	5870	5880	5890	5900	5910	5920	5930	5940	5950	5960	5970	5980	5990	6000	6010	6020	6030	6040	6050	6060	6070	6080	6090	6100	6110	6120	6130	6140	6150	6160	6170	6180	6190	6200	6210	6220	6230	6240	6250	6260	6270	6280	6290	6300	6310	6320	6330	6340	6350	6360	6370	6380	6390	6400	6410	6420	6430	6440	6450	6460	6470	6480	6490	6500	6510	6520	6530	6540	6550	6560	6570	6580	6590	6600	6610	6620	6630	6640	6650	6660	6670	6680	6690	6700	6710	6720	6730	6740	6750	6760	6770	6780	6790	6800	6810	6820	6830	6840	6850	6860	6870	6880	6890	6900	6910	6920	6930	6940	6950	6960	6970	6980	6990	7000	7010	7020	7030	7040	7050	7060	7070	7080	7090	7100	7110	7120	7130	7140	7150	7160	7170	7180	7190	7200	7210	7220	7230	7240	7250	7260	7270	7280	7290	7300	7310	7320	7330	7340	7350	7360	7370	7380	7390	7400	7410	7420	7430	7440	7450	7460	7470	7480	7490	7500	7510	7520	7530	7540	7550	7560	7570	7580	7590	7600	7610	7620	7630	7640	7650	7660	7670	7680	7690	7700	7710	7720	7730	7740	7750	7760	7770	7780	7790	7800	7810	7820	7830	7840	7850	7860	7870	7880	7890	7900	7910	7920	7930	7940	7950	7960	7970	7980	7990	8000	8010	8020	8030	8040	8050	8060	8070	8080	8090	8100	8110	8120	8130	8140	8150	8160	8170	8180	8190	8200	8210	8220	8230	8240	8250	8260	8270	8280	8290	8300	8310	8320	8330	8340	8350	8360	8370	8380	8390	8400	8410	8420	8430	8440	8450	8460	8470	8480	8490	8500	8510	8520	8530	8540	8550	8560	8570	8580	8590	8600	8610	8620	8630	8640	8650	8660	8670	8680	8690	8700	8710	8720	8730	8740	8750	8760	8770	8780	8790	8800	8810	8820	8830	8840	8850	8860	8870	8880	8890	8900	8910	8920	8930	8940	8950	8960	8970	8980	8990	9000	9010	9020	9030	9040	9050	9060	9070	9080	9090	9100	9110	9120	9130	9140	9150	9160	9170	9180	9190	9200	9210	9220	9230	9240	9250	9260	9270	9280	9290	9300	9310	9320	9330	9340	9350	9360	9370	9380	9390	9400	9410	9420	9430	9440	9450	9460	9470	9480	9490	9500	9510	9520	9530	9540	9550	9560	9570	9580	9590	9600	9610	9620	9630	9640	9650	9660	9670	9680	9690	9700	9710	9720	9730	9740	9750	9760	9770	9780	9790	9800	9810	9820	9830	9840	9850	9860	9870	9880	9890	9900	9910	9920	9930	9940	9950	9960	9970	9980	9990	10000	10010	10020	10030	10040	10050	10060	10070	10080	10090	10100	10110	10120	10130	10140	10150	10160	10170	10180	10190	10200	10210	10220	10230	10240	10250	10260	10270	10280	10290	10300	10310	10320	10330	10340	10350	10360	10370	10380	10390	10400	10410	10420	10430	10440	10450	10460	10470	10480	10490	10500	10510	10520	10530	10540	10550	10560	10570	10580	10590	10600	10610	10620	10630	10640	10650	10660	10670	10680	10690	10700	10710	10720	10730	10740	10750	10760	10770	10780	10790	10800	10810	10820	10830	10840	10850	10860	10870	10880	10890	10900	10910	10920	10930	10940	10950	10960	10970	10980	10990	11000	11010	11020	11030	11040	11050	11060	11070	11080	11090	11100	11110	11120	11130	11140	11150	11160	11170	11180	11190	11200	11210	11220	11230	11240	11250	11260	11270	11280	11290	11300	11310	11320	11330	11340	11350	11360	11370	11380	11390	11400	11410	11420	11430	11440	11450	11460	11470	11480	11490	11500	11510	11520	11530	11540	11550	11560	11570	11580	11590	11600	11610	11620	11630	11640	11650	11660	11670	11680	11690	11700	11710	11720	11730	11740	11750	11760	11770	11780	11790	11800	11810	11820	11830	11840	11850	11860	11870	11880	11890	11900	11910	11920	11930	11940	11950	11960	11970	11980	11990	12000	12010	12020	12030	12040	12050	12060	12070	12080	12090	12100	12110	12120	12130	12140	12150	12160	12170	12180	12190	12200	12210	12220	12230	12240	12250	12260	12270	12280	12290	12300	12310	12320	12330	12340	12350	12360	12370	12380	12390	12400	12410	12420

**ISOCANDELA DIAGRAM**

Test:U:224.78V I:4.5126A P:1000W PF:0.9881 Freq:50.03Hz Lamp Flux:132982x1 lm		
NAME: ASD-LMAL-1000D50-MRN	TYPE:	
MFR.: ASD LIGHTING CORP		




H( $\beta$ ) Range:-90 - 90DEG  
H( $\beta$ ) Interval: 1.0DEG  
Test Speed: HIGH  
Temperature:25.3DEG  
Operators:C  
Test Date:23 October 2018

V(B) Range:-60 - 60DEG  
V(B) Interval: 5.0DEG  
Test System:EVERFINE GO-2000B\_V1 SYSTEM V2.0.404.7  
Humidity:65.0%  
Test Distance:7.890m [K=1.0000]  
Remarks:

**ISOLUX DIAGRAM**


Test:U:224.78V I:4.5126A P:1000W PF:0.9881 Freq:50.03Hz Lamp Flux:132982x1 lm		
NAME: ASD-LMAL-1000D50-MRN	TYPE:	
MFR.: ASD LIGHTING CORP		



H( $\beta$ ) Range:-90 - 90DEG  
H( $\beta$ ) Interval: 1.0DEG  
Test Speed: HIGH  
Temperature:25.3DEG  
Operators:C  
Test Date:23 October 2018

V(B) Range:-60 - 60DEG  
V(B) Interval: 5.0DEG  
Test System:EVERFINE GO-2000B\_V1 SYSTEM V2.0.404.7  
Humidity:65.0%  
Test Distance:7.890m [K=1.0000]  
Remarks:

**Planar Illuminance Curve**




H( $\beta$ ) Range:-90 - 90DEG  
H( $\beta$ ) Interval: 1.0DEG  
Test Speed: HIGH  
Temperature:25.3DEG  
Operators:C  
Test Date:23 October 2018

V(B) Range:-60 - 60DEG  
V(B) Interval: 5.0DEG  
Test System:EVERFINE GO-2000B\_V1 SYSTEM V2.0.404.7  
Humidity:65.0%  
Test Distance:7.890m [K=1.0000]  
Remarks:

**AAI Figure**

Test:U:224.78V I:4.5126A P:1000W PF:0.9881 Freq:50.03Hz Lamp Flux:132982x1 lm		
NAME: ASD-LMAL-1000D50-MRN	TYPE:	
MFR.: ASD LIGHTING CORP		

Flux out:107482 lm



**Note:**The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

H( $\beta$ ) Range:-90 - 90DEG  
H( $\beta$ ) Interval: 1.0DEG  
Test Speed: HIGH  
Temperature:25.3DEG  
Operators:C  
Test Date:23 October 2018

V(B) Range:-60 - 60DEG  
V(B) Interval: 5.0DEG  
Test System:EVERFINE GO-2000B\_V1 SYSTEM V2.0.404.7  
Humidity:65.0%  
Test Distance:7.890m [K=1.0000]  
Remarks:

LUMINOUS DISTRIBUTION INTENSITY DATA

Test:U:224.78V I:4.5126A P:1000W PF:0.9881 Freq:50.03Hz Lamp Flux:132982x1 lm		
NAME: ASD-LMAL-1000D50-MRN	TYPE:	
MFR.: ASD LIGHTING CORP		

Table--1

UNIT: ×10cd

H (DEG) \ V (DEG)	-90	-85	-80	-75	-70	-65	-60	-55	-50	-45	-40	-35	-30	-25	-20	-15	-10	-5	0
-90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
-85	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
-80	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
-75	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
-70	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
-65	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
-60	3.79	7.89	29.3	94.8	207	378	585	793	990	1179	1353	1516	1658	1779	1879	1955	2003	2035	2041
-55	3.94	5.37	24.9	96.4	231	442	700	962	1206	1436	1650	1845	2020	2168	2295	2391	2455	2500	2516
-50	3.72	12.6	60.5	191	405	704	1031	1329	1608	1868	2114	2330	2505	2668	2799	2884	2949	2985	2993
-45	3.98	6.87	43.6	174	409	748	1121	1467	1789	2091	2361	2611	2819	3004	3155	3261	3339	3390	3410
-40	3.71	17.0	105	318	664	1089	1496	1868	2219	2543	2827	3071	3285	3473	3605	3705	3777	3819	3829
-35	4.08	8.07	68.8	268	619	1062	1502	1904	2281	2636	2950	3220	3452	3663	3813	3928	4015	4069	4090
-30	3.81	21.5	156	465	924	1394	1836	2253	2642	2990	3304	3557	3801	3984	4120	4227	4305	4344	4354
-25	4.21	8.74	100	388	840	1334	1817	2267	2689	3075	3419	3696	3962	4173	4330	4452	4544	4599	4621
-20	3.87	31.9	224	650	1155	1670	2169	2625	3063	3451	3763	4052	4310	4499	4646	4758	4836	4879	4890
-15	4.30	9.94	143	508	1002	1532	2056	2550	3009	3418	3769	4067	4353	4565	4729	4857	4950	5007	5030
-10	3.89	41.6	307	746	1271	1821	2346	2833	3288	3694	4015	4325	4579	4773	4924	5039	5118	5161	5170
-5	4.32	15.1	182	573	1078	1635	2181	2695	3173	3594	3945	4258	4547	4761	4928	5058	5152	5207	5227
0	3.88	62.5	331	785	1330	1893	2430	2923	3383	3795	4123	4442	4698	4893	5044	5162	5240	5278	5284
5	4.28	19.5	190	575	1084	1643	2190	2711	3193	3616	3971	4288	4580	4796	4965	5097	5192	5247	5268
10	4.04	60.4	316	753	1284	1838	2371	2870	3329	3742	4071	4387	4647	4844	4999	5118	5197	5242	5253
15	4.24	19.2	175	535	1017	1554	2083	2590	3060	3476	3835	4144	4434	4651	4821	4952	5048	5106	5131
20	4.06	53.8	284	683	1175	1698	2206	2682	3127	3524	3849	4146	4409	4604	4756	4872	4955	4998	5009
25	4.23	16.4	147	460	889	1376	1867	2334	2774	3176	3531	3823	4097	4317	4483	4611	4707	4765	4789
30	4.06	41.2	223	560	985	1449	1908	2346	2757	3129	3456	3722	3978	4173	4320	4434	4516	4559	4571
35	4.23	12.4	110	356	707	1116	1545	1963	2357	2726	3058	3341	3585	3804	3965	4088	4181	4238	4261
40	4.06	30.2	159	413	747	1126	1522	1902	2261	2595	2902	3157	3382	3575	3716	3823	3899	3943	3954
45	4.24	8.84	73.2	242	502	817	1162	1514	1852	2165	2455	2719	2940	3134	3293	3407	3491	3546	3568
50	4.03	17.8	95.9	261	500	781	1086	1399	1695	1970	2231	2467	2661	2832	2970	3064	3134	3174	3183
55	4.20	5.90	40.6	137	300	511	750	1001	1259	1501	1728	1941	2129	2285	2419	2521	2590	2636	2655
60	4.02	9.49	46.3	129	261	426	612	810	1015	1216	1403	1572	1727	1851	1960	2040	2089	2120	2129
65	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
70	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
75	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
80	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
85	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

H(β) Range:-90 - 90DEG  
H(β) Interval: 1.0DEG  
Test Speed: HIGH  
Temperature:25.3DEG  
Operators:C  
Test Date:23 October 2018

V(B) Range:-60 - 60DEG  
V(B) Interval: 5.0DEG  
Test System:EVERFINE GO-2000B\_V1 SYSTEM V2.0.404.7  
Humidity:65.0%  
Test Distance:7.890m [K=1.0000]  
Remarks:

LUMINOUS DISTRIBUTION INTENSITY DATA

Test:U:224.78V I:4.5126A P:1000W PF:0.9881 Freq:50.03Hz Lamp Flux:132982x1 lm		
NAME: ASD-LMAL-1000D50-MRN	TYPE:	
MFR.: ASD LIGHTING CORP		

Table--2

UNIT: ×10cd

H (DEG) V (DEG)	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	
-90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
-85	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
-80	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
-75	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
-70	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
-65	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
-60	2029	1994	1944	1861	1759	1631	1482	1314	1138	945	749	560	364	198	93.1	27.3	5.75	3.73	
-55	2512	2483	2432	2358	2249	2115	1957	1770	1564	1341	1106	863	619	376	185	71.6	14.5	3.80	
-50	2979	2936	2868	2776	2636	2479	2286	2064	1818	1554	1267	974	675	379	172	55.0	7.86	3.82	
-45	3404	3369	3306	3217	3093	2927	2732	2506	2242	1952	1644	1312	975	627	313	119	23.1	3.83	
-40	3807	3758	3679	3568	3427	3225	3006	2738	2442	2111	1760	1379	998	601	268	85.3	10.8	3.83	
-35	4084	4046	3976	3876	3745	3570	3343	3099	2801	2467	2105	1712	1303	883	474	173	31.6	3.86	
-30	4336	4286	4200	4087	3938	3740	3492	3231	2897	2538	2141	1718	1270	827	398	113	12.9	3.87	
-25	4615	4575	4502	4395	4256	4076	3838	3564	3259	2890	2487	2047	1582	1101	639	247	40.8	3.92	
-20	4869	4814	4727	4601	4439	4239	3964	3672	3328	2930	2487	2008	1507	998	534	161	15.7	3.95	
-15	5022	4981	4908	4798	4649	4463	4223	3919	3608	3210	2777	2303	1798	1265	756	321	56.0	3.93	
-10	5150	5097	5010	4884	4718	4516	4240	3926	3588	3171	2702	2202	1664	1112	604	213	17.8	4.13	
-5	5220	5182	5108	4997	4847	4658	4417	4101	3778	3374	2927	2436	1912	1357	818	361	71.7	3.91	
0	5269	5216	5127	4999	4833	4625	4348	4024	3678	3255	2779	2266	1717	1157	636	225	25.2	4.14	
5	5261	5222	5148	5035	4884	4692	4449	4129	3803	3396	2946	2454	1924	1368	825	364	75.3	3.89	
10	5231	5177	5087	4959	4789	4582	4301	3980	3636	3215	2742	2233	1685	1128	615	216	23.3	4.09	
15	5122	5081	5004	4890	4739	4549	4301	3989	3671	3269	2827	2347	1829	1290	773	338	68.9	3.85	
20	4987	4932	4839	4711	4544	4338	4052	3752	3399	2999	2549	2054	1543	1025	553	191	21.1	4.01	
25	4782	4742	4665	4553	4406	4219	3968	3685	3367	2989	2573	2116	1634	1138	674	289	58.4	3.80	
30	4552	4499	4408	4287	4126	3918	3656	3383	3033	2651	2241	1799	1331	871	460	154	17.8	3.99	
35	4255	4216	4143	4036	3897	3712	3474	3220	2909	2560	2183	1777	1351	925	535	222	43.9	3.76	
40	3934	3883	3799	3682	3535	3320	3097	2819	2509	2146	1806	1420	1027	656	336	112	13.1	3.94	
45	3562	3526	3460	3364	3233	3055	2855	2616	2335	2031	1707	1363	1012	676	378	151	28.9	3.76	
50	3168	3123	3051	2951	2799	2630	2428	2189	1923	1645	1340	1024	722	445	217	68.7	8.20	3.91	
55	2651	2621	2565	2485	2368	2222	2059	1860	1639	1405	1158	901	652	422	226	86.9	16.5	3.76	
60	2116	2078	2023	1932	1826	1688	1530	1358	1172	975	771	576	392	230	107	32.3	4.83	3.82	
65	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
70	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
75	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
80	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
85	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	

H(β) Range:-90 - 90DEG  
H(β) Interval: 1.0DEG  
Test Speed: HIGH  
Temperature:25.3DEG  
Operators:C  
Test Date:23 October 2018

V(B) Range:-60 - 60DEG  
V(B) Interval: 5.0DEG  
Test System:EVERFINE GO-2000B\_V1 SYSTEM V2.0.404.7  
Humidity:65.0%  
Test Distance:7.890m [K=1.0000]  
Remarks: